

Make Your Escape

Whether you enjoy island-hopping for a few days, carving turns in big chop, slow cruising along a secluded cove, getting your adrenaline fix at the end of a tow rope or just kicking back catching some rays, you'll find your escape with the new 2018 Sea-Doo® lineup.

We started a revolution in watercraft with the introduction of Sea-Doo in 1968. Since then, we created the first three-seater, the first on-water brake, the world's most affordable watercraft with the Sea-Doo SPARK® and many other innovative products. Now, on our 50th anniversary, we're starting another revolution: Introducing the next-generation 2018 Sea-Doo models, re-defining the watercraft experience with our most innovative, stable and versatile platform ever, for the most epic adventures ever.

THE NEXT-GENERATION SEA-DOO PLATFORM	4
PERFORMANCE — POWERFUL AND PRECISE (RXP®, RXT,® GTR™ models)	8
LUXURY — STYLISH AND COMFORTABLE (GTX† models)	12
TOW SPORTS — ACTIVE AND BOLD (WAKE™ models)	16
RECREATION — VERSATILE AND NIMBLE (GTI™ and GTS™ models)	20
REC LITE — PLAYFUL AND COMPACT (SPARK models)	24
INNOVATIVE TECHNOLOGY	28
THE SEA-DOO DIFFERENCE	32
PARTS, ACCESSORIES AND CLOTHING	34
SPECIFICATIONS	37







LIVING ROOM ONBOARD

CONFIGURABLE. COMFORTABLE. GROUNDBREAKING.

With comfy, modular 3-Up seating, and a useful and large swim platform, the new design makes hanging out just as fun as riding around.

Large, flat swim platform to prep for fun or kick back for hours.

Modular seating is configurable for hanging out, sunbathing or a face-to-face picnic.

Removable rear seat, to create even more space while relaxing.



REVOLUTIONARY STABILITY

AT REST. AT SPEED. ALWAYS STEADY.

It's our most stable platform yet. And in rough water, it's the new industry standard for stability. Whether you're parked in a cove or hauling at high speeds, the new Sea-Doo models feel steady and sure—even with three people on board or someone re-boarding.

Redesigned hull for improved stability at high and low speeds, in big or small chop.

Lower center of gravity for improved stability.

Hull is 1" (2.5 cm) wider for improved stability at rest or re-boarding.





Other improvements: LinQ Ski Pylon Quick-Attach System, New 3rd Generation iBR, Easy Reboarding Handle. *USB Port available as an accessory. Standard on GTX Limited model. **Up to one hour.

INGENIOUS STORAGE USEFUL. ACCESSIBLE. FUNCTIONAL.

All your gear is now within arm's reach. The industry's first direct-access front storage opens by simply raising the handlebar assembly. No standing required. And extra rear storage is now possible with the secure Quick-Attach LinQ System.

Exclusive LinQ System lets you quickly and easily attach a fuel caddy and a bag or cooler.

Large front storage is completely accessible from a seated position.

Glovebox features a waterproof, shockproof phone compartment with USB charger.*

MUSIC ONBOARD INTEGRATED. BLUETOOTH. WATERPROOF.

Ride to the beat of your own drum with the new BRP Audio Premium System. With the swipe of a finger, create the vibe you want with the industry's first manufacturer-installed, truly waterproof, Bluetooth[‡] audio system. You can store your phone in the waterproof, shockproof compartment and even charge it with the USB port.*

Two powerful 50-watt speakers for music clarity, even while riding.

Music will play even after engine is turned off.**

Remote control pad on left speaker to quickly and easily change songs and volume.









NEW RXT 230

UNMATCHED STABILITY AND VALUE

TOP SPEED 65 MPH / 105 KM/H **NEW ST³ HULL** STABLE + PREDICTABLE CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

- Modular Ergolock Narrow Racing Seat
- Tilt Steering
- Exclusive Quick-Attach Rear Cargo System (LinQ)
- 28 US gal. (102.5 L) Direct-Access Front Storage
- Bluetooth Audio System (Optional)
- Cruise Control



NEW RXT-X 300 ULTIMATE OFFSHORE PERFORMANCE WATERCRAFT

TOP SPEED 65 MPH / 105 KM/H WITH BEST ACCELERATION*

NEW ST³ HULL STABLE + PREDICTABLE CAPACITY 3 RIDERS

RXT 230 FEATURES PLUS:

- Angled, Extended, Footwell Wedges
- Launch Control Auto-Trim for Optimal Acceleration
- Race-Inspired X-Sponsons for Hull Stabilization
- X-Coloration, Graphics, Design and Gauge



GTR 230 ACCESSIBLE POWER AND PERFORMANCE

TOP SPEED 65 MPH / 105 KM/H GTI HULL FORGIVING + NIMBLE CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

• 30.8 US gal. (117 L) of Storage



GTR-X 230 HIGH PERFORMANCE AND HIGH VALUE

TOP SPEED 65 MPH / 105 KM/H **GTI HULL** FORGIVING + NIMBLE CAPACITY 2 RIDERS

STANDARD FEATURES PLUS:

- Acceleration of 0-60 mph (96 km/h) in 5.2 Seconds
- Ergolock System: Narrow Racing Seat and Angled Footwell Wedges
- NEW Racing Handlebar with Adjustable Riser
- X-Coloration, Graphics, Design and Gauge
- 30.7 US gal. (116 L) of Storage



RXP-X 300 ULTIMATE RACING WATERCRAFT

TOP SPEED

T³ HULL™

CAPACITY

2 RIDERS


STANDARD FEATURES PLUS:

- 65 MPH / 105 KM/H Acceleration of 0-60 mph WITH BEST ACCELERATION* (96 km/h) in 3.8 Seconds
- Ergolock System: Narrow Racing Seat and Angled CONTROL + PRECISION Footwell Wedges
 - NEW Racing Handlebar with Adjustable Riser
 - X-Coloration, Graphics, Design and Gauge
 - Trim Tabs

*Rotax 1630 ACE has highest acceleration among current model-year 2018 Sea-Doo engines.

Top speed and acceleration data based on BRP internal testing in optimal conditions. Top speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.





- Tilt Steering
- Reboarding Ladder
- Anti-Theft Security System (D.E.S.S.)
- iControl Learning Key







NEW GTX 155 / GTX 230

LUXURIOUS VALUE AND CONTROL ALWAYS IN STYLE

TOP SPEED 55 MPH / 88 KM/H (GTX 155) 65 MPH / 105 KM/H (GTX 230)

NEW ST³ HULL STABLE + PREDICTABLE

CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

- 28 US gal. (102.5 L) of Storage
- Bluetooth Audio System (Optional)
- High-Performance Variable Trim System (VTS)



NEW GTX LIMITED 230 / GTX LIMITED 300

THE NEW STANDARD FOR LUXURY PERFORMANCE

TOP SPEED 65 MPH / 105 KM/H (GTX LIMITED 230) 65 MPH / 105 KM/H WITH BEST ACCELERATION*

(GTX LIMITED 300)

NEW ST³ HULL STABLE + PREDICTABLE

CAPACITY 3 RIDERS

GTX 155 / 230 FEATURES PLUS:

- Storage Bin Organizer and Dry Bag
- Bluetooth Audio System with USB Port
- Safety Equipment Kit
- Watercraft Cover
- Additional Gauge Functions: Time/Distance to Empty, Altitude Indicator
- Wood Brushed Mat Design on Swim Platform

Top Speed is based on BRP internal testing in optimal conditions. Top Speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.

*Rotax 1630 ACE has highest acceleration among current model-year 2018 Sea-Doo engines.









WAKE 155

MADE TO MAKE THE MOST OF THE WAKE

TOP SPEED 55 MPH / 88 KM/H

GTI HULL FORGIVING + NIMBLE

CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

- NEW Scratch and Impact-Resistant Lightweight Polytec™ Hull Material
- 31 US gal. (117 L) of Storage



NEW WAKE PRO 230

STABILITY, POWER AND MUSIC TO TOW LIKE A PRO

TOP SPEED 65 MPH / 105 KM/H

NEW ST³ HULL STABLE + PREDICTABLE

CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

- Modular Ergolock Seat
- Tilt steering
- High-Performance Variable Trim System (VTS)
- Exclusive LinQ Quick-Attach System for Cargo and Ski Pylon
- Direct-Access Front Storage and Watertight Phone Box
- Bluetooth Audio System (Optional)

Top Speed is based on BRP internal testing in optimal conditions. Top Speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.









STANDARD FEATURES

- Intelligent Throttle Control with 3
 Riding Modes: Touring, Sport and ECO
- 31 US gal. (117 L) of Storage
- Handlegrips with Palm Rest
- Closed-Loop Cooling System (CLCS)
- Wide-Angle Mirrors
- Anti-Theft Security System (D.E.S.S.)
- iControl Learning Key



GTS 📘

ROOM FOR THREE, FUN FOR ALL

TOP SPEED 42 MPH / 68 KM/H

GTI HULL Forgiving + Nimble

CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

 Scratch and Impact-Resistant Lightweight Polytec Hull Material



GTI 🔲

STYLE, STABILITY AND SOME SERIOUS FUN

TOP SPEED 42 MPH / 68 KM/H

GTI HULL Forgiving + Nimble

CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

- Intelligent Brake and Reverse (iBR)
- Scratch and Impact-Resistant Lightweight Polytec Hull Material



GTI SE / GTI SE 130 / GTI SE 155

MORE CONVENIENCE AND COMFORT FOR DAYS OF FAMILY FUN

TOP SPEED
42 MPH / 68 KM/H (GTI SE)
52 MPH / 84 KM/H (GTI SE 130)

55 MPH / 88 KM/H (GTI SE 155)

GTI HULL Forgiving + Nimble

CAPACITY 3 RIDERS

GTI FEATURES PLUS:

- Scratch and Impact-Resistant Lightweight Polytec Hull Material (GTI SE equipped with Rotax 900 HO ACE only)
- Touring Seat
- Reboarding Ladder
- Variable Trim System (VTS)
- Additional Gauge Functions: Fuel Consumption, Clock

(GTI SE 130 and GTI SE 155 have Fiberglass Hull.)



GTI LIMITED 155

LOADED WITH PREMIUM FEATURES, WITHOUT THE PREMIUM PRICE TOP SPEED 55 MPH / 88 KM/H

GTI HULL FORGIVING + NIMBLE

CAPACITY 3 RIDERS


GTI SE FEATURES PLUS:

- Watercraft Cover
- High-Performance Variable Trim System (VTS)
- Cruise Control + Slow Mode
- Additional Gauge Functions: Time/Distance to Empty, Altitude Indicator

Top Speed is based on BRP internal testing in optimal conditions.

23





SPARK HULL

CAPACITY

2 RIDERS

LIGHT + EASY TO HANDLE





TOP SPEED 48 MPH / 77 KM/H (900 HO ACE)

SPARK HULL LIGHT + EASY TO HANDLE

CAPACITY 2 RIDERS

STANDARD FEATURES PLUS:

- Intelligent Brake and Reverse (iBR)
- Handlebar with Adjustable Riser to provide more leverage for increased rider input
- Step Wedges for more stability in different riding positions
- Extended-Range Variable Trim System (VTS) and Quick, Pre-Set Positions
- Bilge Pump



CAPACITY

3 RIDERS

NEW SPARK TRIXX 3-UP


PLAYFUL TRICKSTER READY TO TOW



SPARK HULL LIGHT + EASY TO HANDLE

Platform Extension Longer Seat with place for 2 Adults + 1 Child

Tow Sports Capability*



- Closed-Loop Cooling System (CLCS)
- Scratch and Impact- Resistant Lightweight Polytec Hull Material
- Handlegrips with Palm Rest
- Over 25 Graphic Kit Accessories

PACKAGE PLUS:

- Intelligent Brake and Reverse (iBR)
- Front Storage Bin Kit (7 US gal. / 28 L)
- Reboarding Step
- Anti-Theft Security System
- iControl Learning Key



SPARK HULL LIGHT + EASY TO HANDLE

CAPACITY 3 RIDERS

STANDARD FEATURES PLUS:

- Added Stability with Platform Extension
- Longer Seat with place for 2 Adults + 1 Child
- Tow Sports Capability*

WITH IBR AND CONVENIENCE PACKAGE PLUS:

- Intelligent Brake and Reverse (iBR)
- Front Storage Bin Kit (7 US gal. / 28 L)
- Reboarding Step
- · Anti-Theft Security System
- iControl Learning Key



ITC INTELLIGENT THROTTLE CONTROL ADJUSTS TO DIFFERENT DRIVING MODES

ECO MODE

This exclusive Sea-Doo feature produces up to 46% improved fuel efficiency by automatically determining the most economical power delivery.

CRUISE MODE

Set it and forget it. This activity-specific mode lets you set your speed for cruising, tow sports, navigating no-wake zones and more.

TOURING & SPORT MODES

No matter what your riding style is, you can easily set different throttle responses to match your activity.

SKI MODE

Tow the perfect line, every time. The five different acceleration profiles make it easy for the driver to deliver a smooth launch and maintain a consistent pace, increasing predictability, so boarders can focus on shredding.



VTS TRIMMED TO PERFECTION

IBR THE INDUSTRY'S FIRST AND MOST INTUITIVE ON-WATER BRAKE

Recognized by the U.S. Coast Guard for improving boat safety since 2009 and now in

its third generation, the Sea-Doo exclusive iBR (Intelligent Brake and Reverse) system allows you to stop up to 160 feet (48 m) sooner than watercraft not using a brake.

With both hands on the handlebars, riders can engage forward, neutral, and reverse

for stable, worry-free maneuvering at low speeds. *Based on BRP internal testing.

The Variable Trim System (VTS) allows you to easily find the ideal trim for any situation. The addition of the new advanced Launch Control System will automatically adjusts the VTS based on your current speed, to get onto plane immediately.

POLYTEC SCRATCH AND IMPACT-RESISTANT LIGHTWEIGHT MATERIAL

This innovative and robust material reduces the weight of the watercraft to deliver peak performance and efficiency, and makes it easy to tow with small cars. Plus, the color-in molding is more scratch-resistant than fiberglass.



CLOSED-LOOP COOLING SYSTEM EFFICIENT, COMPACT RELIABILITY

A Sea-Doo exclusive, the Closed-Loop Cooling System (CLSC) uses coolant to keep the engine running at ideal temperatures. Unlike competitors, this technology prevents corrosive saltwater and damaging debris from entering the engine, for increased reliability, longevity and peace of mind. Offered as an expensive upgrade on traditional inboard engines, CLCS comes standard on all Sea-Doo models.

ES WITH UNMATCHED HIGH-PERFORMANCE, SUPERIOR FUEL-EFFICIENCY AND PROVEN RELIABILITY, ROTAX® ENGINES CONTINUE TO SET THE STANDARD IN THE INDUSTRY. EVERY MODEL FEATURES THE INDUSTRY-EXCLUSIVE CLOSED-LOOP COOLING SYSTEM TO KEEP CORROSIVE SALT WATER AND DEBRIS OUT OF YOUR ENGINE FOR ADDED PEACE OF MIND. TO TOP IT OFF, ALL ACE™ SUPERCHARGED ENGINES ARE MAINTENANCE FREE.‡

ROTAX 1630 ACE

65 MPH (105 KM/H)*

TOP SPEED:

This pulse-pounding 300-hp engine boasts the industry's best power-to-weight ratio. Supercharged with an external intercooler, the Advanced Combustion Efficiency (ACE) technology delivers high efficiency and amazing acceleration. Case in point, the adrenaline pumping RXP-X goes from 0-60 mph (96 km/h) in just 3.8 seconds.*

*Based on BRP internal testing of 2016 RXP-X 300 in optimal conditions. Top speed is limited to 65 mph (105 km/h) in North America as per an agreement

ROTAX 1500 HO ACE

TOP SPEED: 65 MPH (105 KM/H)*

Equipped with Advanced Combustion Efficiency (ACE) technology and optimized for regular fuel, the 230-hp, supercharged 1500 HO ACE uses components from our top-of-the-line ROTAX 1630 ACE to provide high performance at a high value with acceleration from 0-60 mph (96 km/h) in just 5.2 seconds* and superior fuel efficiency.

*Based on BRP internal testing of 2017 GTR-X 230 in optimal conditions. Top speed is limited to 65 mph (105 km/h) in North America as per an agreement with the US Coast Guard.

ROTAX 1503

52 MPH (84 KM/H)*

power, low overall weight, and ease of maintenance. *Based on BRP internal testing of 2017 GTI SE 130.

ROTAX 900 HO ACE

48 MPH (77 KM/H)*

The most compact and lightweight engine on the market today. The Rotax 900 HO ACE incorporates snappy acceleration, impressive fuel economy and an excellent power-to-weight ratio with a top speed of close to 50 mph (80 km/h).

This engine continues to be a benchmark for reliability,

performance and fuel economy, returning proven

*Based on BRP internal testing of 2016 SPARK 900 HO ACE 1+1.

ROTAX 900 ACE

TOP SPEED: 41 MPH (66 KM/H)*

The most fuel-efficient, compact and lightweight engine on the market today. The Rotax 900 ACE features a great power-to-weight ratio with a top speed of 41 mph (66 km/h).

*Based on BRP internal testing of 2016 SPARK 900 HO ACE 1+1.

ROTAX 1503 NA

TOP SPEED: 55 MPH (88 KM/H)*


The most powerful, naturally aspirated Rotax engine on a Sea-Doo offers instant acceleration for instant fun. This engine has been tested for more than a decade and has proven to be incredibly reliable and fuel-efficient.

**Performance number in metric horsepower achieved under optimal testing conditions.

***Based on engine power disclosed to EPA in kW (RXT-X 300) and information on manufacturer's website as of publication date.

‡ Inspect supercharger every 200 hours when the vehicle is used in intense conditions such as off-shore riding, continuous operation at wide open throttle, etc.

*Based on BRP internal testing of 2017 WAKE 155.





XPS oils are developed for the best performance and longevity. They're the only oils developed and tested with BRP power train engineers to match the unique needs of our Rotax engines.





NEW ST³ HULL STABLE + PREDICTABLE

Whether you're at high speeds pounding rough offshore waters, at rest hanging out in a cove or you're simply boarding from the side, the wider hull offers industryleading stability thanks to a lower center of gravity and improved hull design.



T³ HULL PERFORMANCE + PRECISION

Ready, set, race. A deep V-shaped hull—the favorite of our Sea-Doo X-Team racers—allows unmatched control and precision for the sharpest turns and unrivaled handling. (RXP-X 300 only)



GTI HULL FORGIVING + NIMBLE

This classic, responsive, moderate V-shaped hull is now crafted in both Fiberglass or Polytec for lighter weight, and increased strength to return an enjoyable ride in variable water conditions.



SPARK HULL LIGHT + EASY TO HANDLE

Light on weight, heavy on fun. The flatter V-shaped hull makes riding fun and easy in flatter water and small chop. And makes whipping through rougher conditions even more thrilling.

DISCOVER THE SEA-DOO DIFFERENCE.



We've accomplished a lot in the last 50 years. And we're just getting started.



INDUSTRY-FIRST INNOVATION

Exclusive on-water braking, Closed-Loop Cooling, LinQ Quick-Attach System and other technologies are designed to push boundaries and make the experience safe, easy and enjoyable.



MOST AFFORDABLE

With the lowest entry level price in the industry—20% less than the competition**—fun on the water is more accessible than ever.



UNMATCHED FUEL-EFFICIENCY

Some Sea-Doo models boast close to 30% better fuel efficiency than the closest competitor.***



INGENIOUS STORAGE

Innovative storage solutions across all of our models, like the new LinQ System for quickly attaching gear and the new Front Storage accessible from a seated position—an industry first



0-60 MPH (96 KM/H) IN 3.8 SEC****

Leading the industry in the most exhilarating and heart-pounding ride.



U.S. COAST GUARD RECOGNIZED

Sea-Doo has numerous design awards to go along with the acknowledgement by the U.S. Coast Guard for improving boating safety since 2009.



6-TIME CONSECUTIVE WORLD CHAMPION


Race inspired ergonomics and hull design have led the RXP-X to 6 world titles.

Our performance machines have the edge and all of our models share winning DNA.



*Based on industry data and BRP estimates.**Source: Manufacturers' website. Price may vary according to product specification.***Based on BRP internal testing and information on manufacturers' website.
****Based on BRP internal testing of 2016 RXP-X 300.









			REC	LITE					RECREATIO	IN	
		2 colorations of SPARK TRIXX shown				GTI shown GTI SE 155 shown					
	SPECIFICATIONS						EAVAGG	•			
		SPARK 2up	SPARK 3up	SPARK TRIXX 2up	NEW SPARK TRIXX 3up	GTS	GTI	GTI SE	GTI SE 130	GTI SE 155	GTI Limited 155
E	Available Color(s)	Vanilla and Blueberry Pineapple an	, Licorice and Mango, d Candy blue	Candy Blue a	nd Chili Pepper and Chili Pepper	White and	Reef blue	Bea	Black and Sunrise ch Blue Metallic an		Liquid Grey Metallic and Equestrian Brown
ER	Rider Capacity	2	3	2	3				3		
8	Weight Capacity	352 lb (160 kg)	450 lb (205 kg)	352 lb (160 kg)	450 lb (205 kg)	600 lb (272 kg)					
	Length	110" (279 cm) 120" (305 cm) 110" (279 cm) 120" (305 cm)							132.6" (335.8	cm)	
S	Width	46' (118 cm)							48.5" (123.1	cm)	
Avai Ride Weig Leng Widt Heig Programmer Fruel Fruel Hull Hull Hull Hull Fruer	Height	41" (1		42.13"	(107 cm)				44" (111.8 c	m)	
DIMEN	Dry Weight	405 lb (184 kg) iBR and Convenie adds 21	421 lb (191 kg) ence Package Plus lb (9 kg)	422 lb (192 kg)	438 lb (199 kg)	630 lb (286 kg) 640 lb (291 kg) 790 lb (35			59 kg)		
	Fuel Capacity			gal (30 L)					15.9 US gal (6	0 L)	
	Rotax Engine	ROTAX 900 ACE or ROTAX 900 HO ACE		ROTAX 900 HO ACE		F	ROTAX 900 HO ACE		ROTAX 1503	R	OTAX 1503 NA
병원	Fuel Type			ctane					87 Octane		
MAN	Hull Type			ARK					GTI		
E N	Hull Material	Lightweight Polytec					Lightweight Polytec			Fibergla	
A B	Variable Trim System (VTS)	Extended range √ High-P						High-Performance			
	Trim Tabs Sponsons			1							
	Speedometer			<i>J</i>	,			,			
	iTC-ECO Mode			V					√		
	iTC-Touring Mode / Sport Mode	Rotax 900 HO ACE engine only		$\sqrt{}$							
	iTC- Ski Mode					Opt. Accessory Optional Accessory Optional					Optional Accessory
	iTC- Cruise Control / Slow Mode					Orbital Assessed					
	Depth Finder	Optional Accessory				Optional Accessory					
Ş	Water Temperature Compass									√	erglass High-Performance
S	Top Speed / RPM								Ontio	nal Accessory	
NO NO	10p opeca / Ki iii		0.40.1101./1	C.L.) Oleve Dev		30.8 US gal (116.6 L)					
5	Storage Capacity	0.42 US gal (1.6 L) Glove Box 7.42 US gal (28 L) with Optional Front Storage Bin Kit				- Large Front Storage Compartment - Glove Box					
	BRP Premium Audio System Towing Features		т	Hook				Tow Hook			Cki Terr Free
	Reboarding Features	√ With iBR and Conv	enience Package Plus		ry Reboarding Step					Reboarding Ladder	JAN TOW EYE
	Removable Board Rack	With IBN and convenience rackage rius Optional Accessory Reboarding Step				Optional Accessory					
	Handlegrips with Palm Rest		,	V		√ √					
	Mirrors (wide-angle)								√		
ORT	Brake, Neutral and Reverse	Optional M iBF	anual Reverse or Optiona R (900 HO ACE engine or	nly)	Electrionic iBR					ctronic iBR	
OMF	Engine Cooling	Closed-Loop Cooling System			Closed-Loop Cooling System						
2		Slim			√ Touring						
MIND	Steering Programmable Learning Key	Optional Adjustable riser Adjutable riser Optional Accessory (not programmable)				Fixed √ (not √					
ACE OF	RF D.E.S.S. (Digitally Encoded Security System) Key	Optional Accessory				programmable)					
E	D-Sea-Bel Sound Reducing System		,	/					√		
	Package	Optional iBR and Co Plus with Rotax 90	onvenience Package 00 HO ACE Engine	TF	RIXX				SE		Limited

PERFORMANCE

RXT 230 with Audio System shown

RXT-X 300 with Audio System shown



SPECIFICATIONS









	GTR 230	GTR-X 230	RXP-X 300	NEW RXT 230	NEW RXT-X 300			
Available Color(s) Rider Capacity	Black and Octane Blue	California Green Metallic and Black	Neon Yellow and Lava Grey, Ice Metal and Lava Red	Black and Octane Blue	Neon Yellow and Lava Grey, Ice Metal and Lava Red			
Rider Capacity	3		2	3				
Weight Capacity	600 lb (272 kg)	400 lb	(182 kg)	600 lb (272 kg)				
Length	132.6" (335.8 cm)	130.6" (3	331.6 cm)	135.9" (345.1 cm)				
Width	48.5" (123.1 cm)	48.5" (123.1 cm)	48.3" (122.7 cm)	49.4" (25.5 cm)	49.4" (125.5 cm)			
Height	44" (111.8 cm)	44.9" (114 cm)	45.2" (115 cm)	44.9" (114 cm)	45.3" (115 cm)			
Dry Weight	807 lb (367 kg)	821 lb (372 kg)	850 lb (386 kg)	805 lb (365 kg)	828 lb (376 kg)			
Fuel Capacity			15.9 US gal (60 L)					
Rotax Engine	ROTAX 15	00 HO ACE	ROTAX 1630 ACE	ROTAX 1500 HO ACE ROTAX 1630 ACI				
Fuel Type	87 C	Octane	87 Octane 91 Octane	87 Octane 91 Octane				
Hull Type Hull Material Variable Trim System (VTS)	G	iTi	T3	ST ³				
Hull Material	Fibe	rglass	Fiberglass	Fiberglass				
Variable Trim System (VTS)	High-Performance	High-Performance with Launch Control	High-Performance with Launch Control	High-Performance	High-Performance with Launch			
Trim Tabs			√		√			
Sponsons		$\sqrt{}$	Adjustable	√	X-Sponsons			
Speedometer		√ √	√		√			
iTC-ECO Mode		\checkmark	√	$\sqrt{}$				
iTC-Touring Mode / Sport Mode	$\sqrt{}$		√		\checkmark			
iTC- Ski Mode	Optional Accessory			Optional Accessory	Optional Accessory			
iTC- Cruise Control / Slow Mode					\checkmark			
Depth Finder	Optional	Accessory	Optional Accessory	Optional Accessory				
Water Temperature								
Compass		$\sqrt{}$	√		\checkmark			
Top Speed / RPM	Optional Accessory		√	$\sqrt{}$				
Storage Capacity	30.8 US gal (116.6 L) - Large Front Storage Compartment - Glove Box	- Large Front Stor	al (116.4 L) rage Compartment ve Box	28 US gal (102.5 L) - Direct Access Front Storage Compartment - Watertight Phone Box				
BRP Premium Audio System			Optional					
Towing Features		Tow Hook	Ski Tow Eye					
Reboarding Features			Optional Accessory Reboarding Ladder					
Removable Board Rack	Optional Accessory			Optional Accessory				
Handlegrips with Palm Rest		√ ·	√	\checkmark				
Mirrors (wide-angle)		$\sqrt{}$	√	√				
Brake, Neutral and Reverse			Electronic iBR	Electronic iBR				
Engine Cooling			Closed-Loop Cooling System					
Seat	Touring	Ergolock with X logo	Ergolock with X logo	Ergolock	Ergolock with X logo			
Seat Steering Programmable Learning Key REDESS (Digitally Encoded)	Fixed	Racing Handlebar with Adjustable Riser	Racing Handlebar with Adjustable Riser	Tilt	Tilt X-Steering			
Programmable Learning Key		\checkmark	√		\checkmark			
RF D.E.S.S. (Digitally Encoded Security System) Key		√	√ √					
D-Sea-Bel Sound Reducing System			√					
Package	Performance	X-Package	X-Package	Performance	X-Package			

	Tow S	PORTS		LUX	UKT		
			GTX 230 with Audio System shown GT			TX Limited 300 shown	
SPECIFICATIONS	- INNAMED		740	IM/ADO	SEAGOO		
	WAKE 155	NEW WAKE PRO 230	NEW GTX 155	NEW GTX 230	NEW GTX Limited 230	NEW GTX Limited 300	
Available Color(s)	Teal Blue Meta	llic and Lava red	Beach Blue Meta	allic and Lava Grey	Liquid Grey Metallic	and Equestrian Brown	
Rider Capacity		3	3				
Weight Capacity	600 lb	600 lb	(272 kg)	600 lb	(272 kg)		
Length	132.6" (335.8 cm)	135.9" (345.1 cm)	135.9" (345.1 cm)	135.9" (3	345.1 cm)	
Width	48.5" (123.1 cm)	49.4" (125.5 cm)	49		(125.5 cm)		
Height	44" (111.8 cm)	44.9" (114 cm)	44.9" (114 cm)				
Dry Weight	718 lb (326 kg)	815 lb (370 kg)	768 lb (348 kg) (GTX 155) 838 lb 805 lb (365 kg) (GTX 230) 848.5 lb			(GTX Limited 230) (GTX Limited 300)	
Fuel Capacity	15.9 US	gal (60 L)		15.9 US	gal (60 L)		
Rotax Engine	ROTAX 1503 NA	ROTAX 1500 HO ACE	ROTAX 1503 NA	ROTAX 1500 HO ACE	ROTAX 1500 HO ACE	ROTAX 1630 ACE	
Fuel Type	87 C	octane		87 Octane		87 Octane 91 Octane	
Hull Type	GTI	ST ³	ST ³				
Hull Material	Lightweight Polytec	Fiberglass	Fiberglass				
Variable Trim System (VTS)	\checkmark	High-Performance					
Trim Tabs		\checkmark					
Sponsons				V			
Speedometer		$\sqrt{}$			V		
iTC-ECO Mode		V	√				
iTC-Touring Mode / Sport Mode		√ -		·	<u></u>		
iTC- Ski Mode		√ -	Optional Accessory				
iTC- Cruise Control / Slow Mode		√			V I	,	
Depth Finder	Optional	Accessory	Optional	Accessory		√	
Water Temperature					V		
Compass	Ontional	√ √					
Top Speed / RPM	Optional	V V					
Storage Capacity	30.8 US gal (116.6 L) - Large Front Storage Compartment - Glove Box	28 US gal (102.5 L) t - Direct Access Front Storage Compartment - Watertight Phone Box					
BRP Premium Audio System	Optional		Optional			√	
Towing Features	Retractable Ski Pylon LinQ Retractable Ski Pylon		Ski Tow Eye				
Reboarding Features	Reboardi	Reboarding Ladder					
Removable Board Rack		Optional Accessory					
Handlegrips with Palm Rest		$\sqrt{}$	\checkmark				
Mirrors (wide-angle)		√	√				
Brake, Neutral and Reverse		nic iBR	Electronic iBR				
Engine Cooling	·	Cooling System Ergolock	Closed-Loop Cooling System				
Seat	Standard	Ergolock with Stepped Design					
Steering	Fixed	Tilt					
Programmable Learning Key RF D.E.S.S. (Digitally Encoded		√ 					
Security System) Key				V			
D-Sea-Bel Sound Reducing System				V			



SKI-DOO. LYNX. SEC. 200. EVINRUDE. ROTAX. Can-am.